



# DIVISION OF COASTAL RESOURCES MANAGEMENT

P. O. Box 501304, Saipan MP 96950, Gualo Rai Center, Saipan  
 TEL. NO. 664-8300 • FAX NO. 664-8315



## NOTICE OF APPLICATION As of November 05, 2018

THE FOLLOWING IS A PUBLIC ANNOUNCEMENT OF COASTAL PERMIT APPLICATIONS RECEIVED BY THE DCRM OFFICE:

APPLICANT	DATE APPLICATION RECEIVED	APPLICATION PROJECT DESCRIPTION	LOCATION	TYPE	STATUS
1. The Rose Empire Corporation	10/03/2018 SPI-2019-X-002	Drydock	Lower Base, Saipan	Ports & Industrial	Approved 10/12/2018*
2. Pacific Globe Development, Ent	11/02/2018 SPI-2019-X-004	Drydock	Lower Base, Saipan	Ports & Industrial	Under Review*
3. Park Jung Me	11/02/2018 SPIW-2019-X-005	New Construction	Lower Base, Saipan	Ports & Industrial Wetlands	Under Review*

NMIAC §15-10-210 of the CRM Rules and Regulations requires all permit applications to be published in a newspaper for general circulation within the CNMI within 15 days of receipt of application. The list reflects recently received permit applications and those with a recent change in status. New applications are marked with an asterisk (\*).

The Public is invited to submit written comments regarding any of the above projects for which a permit decision has not been issued. All permit comments should identify the project by application number. Your comments should be mailed or hand-delivered to the DCRM Office. All persons who desire a public hearing regarding any project may do so by submitting a written request for a public hearing to the DCRM Office within fourteen (14) days for minor permits (APCs) and proposed amended major sitings. Public Hearings are required for all new major siting projects. All public hearing notices are published in a local newspaper of general circulation. Residents of Rota and Tinian may submit comments and hearing requests to their local DCRM Coordinator. Persons wishing to retain the right to appeal a DCRM Permit decision must file a notice of appeal with the DCRM office within thirty (30) days of the issuance of the DCRM permit decision as provided in Part 200 § 15-10-235 of the DCRM Regulations.